

Figure 1




Figure 2




Figure 3

Drawing Sheet 4 of 9

Title: Method For Portlet Instance Support In A Graphical User Interface
Inventor(s): Scott Musson, et al.
Application No.: Not Yet Assigned
Docket No.: BEAS-01382US0
Filing date: Filed Herewith

Attorney: Daniel J. Burns
Telephone No.: (415) 362-3800
Express Mail No.: EV327622007US




Figure 4




Figure 5

Title: Method For Portlet Instance Support In A Graphical User Interface
 Inventor(s): Scott Musson, et al.
 Application No.: Not Yet Assigned Attorney: Daniel J. Burns
 Docket No.: BEAS-01382US0 Telephone No.: (415) 362-3800
 Filing date: Filed Herewith Express Mail No.: EV327622007US




Figure 6

Drawing Sheet 7 of 9

Title: Method For Portlet Instance Support In A Graphical User Interface
Inventor(s): Scott Musson, et al.
Application No.: Not Yet Assigned **Attorney:** Daniel J. Burns
Docket No.: BEAS-01382US0 **Telephone No.:** (415) 362-3800
Filing date: Filed Herewith **Express Mail No.:** EV327622007US




Figure 7

Drawing Sheet 8 of 9

Title: Method For Portlet Instance Support In A Graphical User Interface
Inventor(s): Scott Musson, et al.
Application No.: Not Yet Assigned
Docket No.: BEAS-01382US0
Filing date: Filed Herewith

Attorney: Daniel J. Burns
Telephone No.: (415) 362-3800
Express Mail No.: EV327622007US




Figure 8

Drawing Sheet 9 of 9

Title: Method For Portlet Instance Support In A Graphical User Interface
Inventor(s): Scott Musson, et al.
Application No.: Not Yet Assigned **Attorney:** Daniel J. Burns
Docket No.: BEAS-01382US0 **Telephone No.:** (415) 362-3800
Filing date: Filed Herewith **Express Mail No.:** EV327622007US

```
<%@page
import="com.bea.netuix.servlets.controls.window.WindowPresentationContext,com.bea.netu
ix.servlets.controls.window.TitlebarContext"
%>
<%@ taglib uri="render.tld" prefix="render" %>
<% WindowPresentationContext window =
WindowPresentationContext.getWindowPresentationContext(request);
TitlebarContext titlebar
= (TitlebarContext) window.getFirstChild("window:titlebar");
String expandWidth = "100%";
%>

<render:beginRender>
<div
  <render:writeAttribute name="id" value="<%= window.getPresentationId() %>"/>
  <render:writeAttribute name="class" value="<%= window.getPresentationClass() %>"
    defaultValue="bea-portal-window"/>
  <render:writeAttribute name="style" value="<%= window.getPresentationStyle() %>"/>
  <render:writeAttribute name="width"
    value="<%= window.isPacked() ? null : expandWidth %>"/>
>
<% if (titlebar != null) { %>
  <render:renderChild presentationContext="<%= titlebar %>"/>
<% } %>
  <div class="bea-portal-window-content">
</render:beginRender>
<render:endRender>
  </div>
</div>
</render:endRender>
```

Figure 9